	Application No.	Applicant(s)
Notice of Allowability	10/572,868 Examiner	ODEFEY, CONSTANTIN Art Unit
y		
	GAILENE R. GABEL	1641
- The MAILING DATE of this communication appeal all claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABLITY IS NOTA GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 OFR I.313	(OR REMAINS) CLOSED in this a or other appropriate communication IGHTS. This application is subject	pplication. If not included on will be mailed in due course. THIS
 This communication is responsive to <u>Applicant's amendment</u> 	ent filed 12/10/08 and Interview Sur	mmary on 2/4/09.
 The allowed claim(s) is/are <u>claims 1-8</u>. 		
 Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 	nder 35 U.S.C. § 119(a)-(d) or (f).	
 Certified copies of the priority documents have 	been received.	
Certified copies of the priority documents have	• • • • • • • • • • • • • • • • • • • •	
Copies of the certified copies of the priority do	cuments have been received in thi	s national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		y complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 		
CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) including changes required by the Notice of Draftspers	son's Patent Drawing Review (PTC	0-948) attached
1) Thereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date		
Identifying Indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on the drav he header according to 37 CFR 1.12	vings in the front (not the back) of 1(d).
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summar	y (PTO-413),
Information Disclosure Statements (PTO/SB/08), Paper No /Mail Date	Paper No./Mail D 7. X Examiner's Amen	
Faper No./Mail Date F	8. Examiner's Stater	nent of Reasons for Allowance
<u> </u>	9.	
/GAILENE R. GABEL/ Primary Examiner, Art Unit 1641	2/4/09	

Application/Control Number: 10/572,868

Art Unit: 1641

EXAMINER'S AMENDMENT

 An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Dr. Joseph Guy on February 4, 2009.

2. The application has been amended as follows:

In claim 1, "detecting step" in the last three lines after, "the signal strength depending on the "size and number of" has been deleted; and then after "antigenantibody", "precipitates formed" has been deleted and --precipitate concentration-- has been inserted therefor.

Claim 3 has been rejoined.

In claim 3, step b) line 1 after "providing", "a second" has been deleted and --an aliquot of-- has been inserted therefor.

Claim 4 has been rejoined.

In claim 4, lines 5-7 after "the filter having a pore size of", "preferably" has been deleted, and then after "20 – 450 nm," "more preferably of" has been deleted and --or-has been inserted therefor. Thereafter, after "100 – 300 nm," "and particularly of" has been deleted and --or-has been inserted therefor.

Art Unit: 1641

In claim 5, line 3 after "at least one", "antibody selected from" has been deleted and --of-- has been inserted therefor.

Claims 9 and 10 have been cancelled.

REASONS FOR ALLOWANCE

3. The following is an examiner's statement of reasons for allowance: prior art of record fails to teach or fairly suggest detecting a signal produced by antigen-antibody precipitates formed by antigens with a maximum particle size and having at least two antibody binding sites which react with and bind to a plurality of antibodies which have a maximum particle size, according to the "lock-and-key principle"; thereby, resulting to cross-linking or occurrence of precipitation. Detection of the precipitates formed is specifically performed by directing a light beam through the resultant mixture and then measuring with a photodetector the extinction at the light-dark boundary of the cone of light formed by light scattered forward as the light passes through the measuring cell containing the reaction mixture (page 5, lines 24-32 and page 8, line 32 to page 9, line 9).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 1641

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to GAILENE R. GABEL whose telephone number is (571)272-0820. The examiner can normally be reached on Monday, Tuesday, and Thursday, 5:30 AM to 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark L. Shibuya can be reached on (571) 272-0806. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/GAILENE R. GABEL/ Primary Examiner, Art Unit 1641

February 4, 2009